


Colvin Run Pinwheel

Fabric Requirements

Fabric 1 8" x 20"	Fabric 6 8" x 20"
3212-031	3212-037
Fabric 2 8" x 20"	Fabric 7 8" x 20"
3212-032	3212-038
Fabric 3 8" x 20"	Fabric 8 7/8 yard <i>(incl. backing)</i>
3212-034	1093-15
Fabric 4 8" x 20"	Fabric 9 Fat Quarter (requires 18" length)
3212-035	3287-03
Fabric 5 8" x 20"	Fabric 8 1/4 yard <i>(for binding)</i>
3212-036	9617-34

Every effort has been made to assure the accuracy of this pattern; it is presented in good faith.
 Pattern may not be reproduced or distributed by mechanical or electronic means
 without express written permission of the copyright holder. Copyright holder grants the pattern owner
 the right to make copies of the pattern pages as necessary for completing the project.



JINNY BEYER STUDIO
 www.jinnybeyer.com • 866.759.7373

©2020, 2021 Jinny Beyer



JINNY BEYER STUDIO

Quilt Patterns



Finishes 9"x 36" or 18"x 18"




Jinny Beyer

Colvin Run Pinwheel

JINNY BEYER STUDIO

Colvin Run Pinwheel

This pattern assumes basic quiltmaking and foundation piecing knowledge. Read the entire pattern before beginning. Refer to the pattern cover as necessary. Blocks may be assembled in long orientation as shown below or in square orientation as on page 2.



Long orientation finishes 9" x 36".

Prepare Template A & the Foundations

Follow the instructions on Page 3 to make Template A and copy the foundations.

Understanding the Block & Process

This project is made from four identical, foundation-pieced blocks. Each block has seven fan blades, each blade made from a different fabric. Each fan blade is bisected with a mini-stripe. This mini-stripe is also used for the corner triangles. For fastest piecing, the fan blades are cut from a pre-sewn strip-set, then the background fabric is added to the foundation.

Cut Fabrics & Make the Strip-Sets

Fabric 9 - Mini-Stripe Fabric. Separate seven mini-stripes by cutting along the center of the black between the stripes. These pieces will measure about 1¼" x 18". The remaining piece of mini-stripe fabric will be used to cut the corner triangles; do not separate the stripes in this piece.

Fabrics 1-7. Split each piece of fabric into two pieces, each about 4" x 20".

Make the strip-sets. Sew the mini-stripe between the two pieces of matching fabric, matching the raw edges on one end. (The other end will not be even; see the illustration, opposite.) Press the seam allowance away from the mini-stripe.

Fabric 8. Cut the fabric in the order as follows.


Backing. For the **square** orientation of the project, cut one piece measuring 22" square. For the **long** orientation, cut one piece measuring 13" x WOF".


Foundations. Follow the cutting instructions for the long orientation on page 2; for the square orientation, follow the instructions on page 5.

Fabric 10 - Binding. Cut three strips your preferred width (up to 2½") to total about 100" in length.

Make the Foundations

Working with one strip-set and set of foundations at a time, follow the steps below. Note that Foundation 1 is cut from Fabric 1, Foundation 2 from Fabric 2, etc.

Cut the strip-set foundation pieces. Flip the strip-set **wrong side up**, ensuring that the triangle shape in the mini-stripe is pointing down. Place a foundation on top of the fabric, aligning the  mini-stripe markings on the foundation with the mini-stripe. The vertical line should be positioned to run through the center of one of the triangles printed on the fabric. (See the illustration below; note that part of the foundation extends beyond the strip-set.) Pin securely in place. (You will not remove these pins until the block is complete.) Repeat for the three remaining foundations.



Cut out the four foundations **outside** the solid lines along the sides and bottom. Fold the top of the paper foundation back on itself along the line below the top section. Trim the fabric to ¼" beyond the fold.


Cut and add the background (Fabric 8) pieces. The size of the background fabric piece for each foundation is printed on the actual foundation and in the cutting charts. Working with one set of foundations at a time, cut the pieces as indicated for the long orientation on page 2 and the square orientation on page 5. (The background fabric (F8) is the same for all foundations.)

Place the background patch right sides together with the fabric pinned to the foundation, aligning the raw edges. Test fold the patch to ensure it will cover the foundation area when sewn in place. Adjust as necessary; sew on the solid line and press the background fabric up to cover the foundation.

Trim the fabric and paper by cutting on the outside solid line around the foundations.

Cut Corner Triangles


Following the *Template Positioning Notes* below and using Template A, cut four identical triangles from the reserved mini-stripe fabric.



Cut four triangles that look like this.

Template Positioning Notes

Template A must be placed on the stripe so that the triangles in the fabric design at the base of the template point towards the tip of the template. (See above and below.) The two horizontal lines on the template should be positioned over the light lines on the fabric, and the mirror line should run through the center of a triangle.




Complete the Blocks & Project


To make a block, sew together Foundations 1-7 in order (matching the dots). Next, sew an A-triangle to the bottom edge of the unit to complete the square. Repeat to make four blocks.

Sew the blocks together as illustrated on page 1 or as in the next column. Remove the pins. Remove the paper foundations now or leave them in place until project has been bound or sewn to other units.

Quilter is given permission from the copyright holder to make copies of this pattern for personal use.



Block Assembly



Square orientation finishes 18" x 18".

Fabric 8 Cutting Chart - Long Orientation

Cut one 4" x WOF strip, then cut four of each of the following from it:


- Foundation 1 2¾" x 4"
- Foundation 6 3¾" x 4"
- Foundation 7 3" x 4"

Cut one 5¼" x WOF strip, then cut four of each of the following from it:


- Foundation 2 2¾" x 4¾"
- Foundation 3 4" x 5¼"

Cut one 5½" x WOF strip, cut four of each of the following from it:

- Foundation 4 5½" x 5½"
- Foundation 5 4" x 5½"



Foundations

Make four copies of pages 3-5. Roughly cut out each foundation **outside** the solid lines. For ease in correctly positioning the foundations on the fabric, transfer the  mini-stripe markings to the un-printed side of each foundation.

Template A


Place template plastic over the Template A pattern, transferring all the markings to the plastic. Cut out on the solid outer line.


Printing Size Check

This box should measure 2 inches square.

If the box does not measure 2", your templates/foundations will not be the correct size.

If you are printing at home, be sure your printer is set to print at 100% with "no scaling".





Fabric 8 Cutting Chart - Square Orientation

Cut one 4" x WOF strip, then cut four of each of the following from that strip:

- Foundation 1 2³/₄" x 4"
- Foundation 6 3³/₄" x 4"
- Foundation 7 3" x 4"

From the leftover fabric after cutting the 22" x 22" backing, cut four strips measuring 5¹/₂" x 18". From each strip, cut one of each of the following:

- Foundation 2 2³/₄" x 4³/₄"
- Foundation 3 4" x 5¹/₄"
- Foundation 4 5¹/₂" x 5¹/₂"
- Foundation 5 4" x 5¹/₂"